EMERGENCY LIGHTING

Spacing Guideline for
Remote Heads, Battery Units and Combination Signs

IES PHOTOMETRICS

Design Spacing Guidelines

Stanpro offers a large variety of remote heads lamps to suit every emergency lighting application.



8ft mounting height



10ft mounting height



2233 rue de l'Aviation, Dorval, QC H9P 2X6
514.739.9984, 1.866.280.2332 • 1.866.265.8801 • www.stanprols.com

15ft mounting height



20ft mounting height



Our new PAR18 3W LED remote heads



N1-06-12V3WLJ
Incredible 38.5 foot spacing
at 8 foot mounting height

N2-06-12V3WLJ
Incredible 77 foot spacing
at 8 foot mounting height

Universal 6 to 12VDC, no more need to carry 2 voltages in stock!

Crisp white 3W LED

Limited lifetime warranty*

* For complete warranty details, please see our terms and conditions in our website.

STANPRO | 2233 rue de l'Aviation, Dorval, QC H9P 2X6
514.739.9984, 1.866.280.2332 • 1.866.265.8801 • www.stanprols.com

STANPRO

2233 Rue de l'Aviation, Dorval, QC H9P 2X6
T. 514.739.9984 • F. 1.866.265.8801
www.stanprols.com